

IBT



SAFETY |
ESSENTIALS



North A79-17 Peak Series Economy Hard Hat

IBT #62801210

Royal Blue

A versatile and dependable design with grooved HDPE outer shell, rain trough and accessory slots. Features 3-level height adjustment.

- ▲ 4-point nylon, ratchet suspension



MSA 475358 V-Gard® Hard Hat

IBT #54900630

White

V-Gard Protective Caps and Hats from MSA consist of a polyethylene shell and suspension system working together as a protection system.

- ▲ 6-point Fas-Trac® ratchet suspension



Fibre-Metal E-1RW-WE Thermoplastic Head Protection

IBT #37400520

White

A unique, smooth crown design eliminates the risk of an impacting object being trapped by ribs, ridges or slots. Model E-1 full brim hat provides protection from the sun, nontoxic splash, dust, dirt and debris and is SEI certified to meet ANSI Z89.1-2003 Type 1, Class E, G or C.

- ▲ Ratchet suspension



MSA 10033652 Bump Cap

IBT #54900800

White

MSA's bump cap protects the scalp by reducing exposure to abrasions and lacerations caused by minor bumps to the head.

- ▲ Molded from high-density polyethylene for durability
- ▲ Perforated sides allow cross ventilation for better air circulation
- ▲ Smooth surface for easy cleaning



North 90S Visitor Spectacles

IBT #62810001

Clear lens

Large lens provides a wide viewing field. Fits over most prescription eyewear. Exclusive interlocking sideshield system offers all-around protection from flying particles. Excellent choice for plant visitors.



Gateway Safety 6880 Coveralls™

IBT #39902725

- ▲ Generous size, specifically designed to wear over prescription eyewear
- ▲ Cost-effective alternative to prescription safety eyewear
- ▲ Single-piece lens with molded-in sideshields; wraps around for unobstructed field of vision
- ▲ Lightweight, impact-resistant polycarbonate lens offers solid protection & blocks more than 99.9% of UV-A & UV-B light



Radians MRR110ID Mirage RT™

IBT #31317900

Clear lens - see other options below

Sleek design allows for a perfect fit for both men and women, ensuring worker acceptance.

- ▲ Rubber tipped temples
- ▲ Optically correct & distortion-free lenses
- ▲ Economical dual wraparound 9.75 base lens provides near perfect orbital seal
- ▲ Weighs less than 1 oz.
- ▲ Available options: Clear Anti-fog, Smoke, Indoor/Outdoor, Desert Tan, Amber, Light Blue



Jackson Safety 3000356 Nemesis™ Safety Glasses

IBT #11900866

Black frame/Smoke mirror lens - see other options below

Sleek, sporty, lightweight design with soft touch temples for added comfort. Single lens wraparound protection. Every pair includes a neck cord.

- ▲ 99.9% UV Protection
- ▲ Available options: CSA models, Camo/Smoke, Camo/Clear, Camo/Amber, Camo/Copper, Black/Clear, Black/Clear Anti-Fog, Black/Smoke, Black/Blue, Black/Amber, Blue/Light Blue



Uvex Genesis® S3200X Safety Glasses

IBT #90201820

Engineered for comfort, protection and style, Genesis delivers an incredible range of superior product benefits. Built with MMT molding technology and a high level of adjustability, Genesis provides workers with extraordinary all-day comfort and raises the bar on compliance.

- ▲ Dual 9-base wraparound lens provides uncompromised peripheral vision & superior protection
- ▲ Soft flexible fingers adjust & conform to almost any nasal profile to reduce slippage
- ▲ Soft elastomer browguard diffuses & deflects impact
- ▲ Adjustable temple length & lens inclination
- ▲ Uvextreme® lens coating (anti-fog, anti-scratch, anti-static & UV protection)
- ▲ Meets Mil V0 ballistic test for impact (Protection against impact energies 7x higher than ANSI requires)
- ▲ Lifetime frame guarantee
- ▲ Made in USA



MCR DL110 Dallas™ Safety Glasses

IBT #54801612

Black frame/Clear lens

Dallas is one of the newest editions to MCR's Plus Series protective eyewear. The unique nosebridge with gel nose pad along with full length non-slip temple sleeves comfortably fits a wide variety of users. The wraparound lens design provides greater side impact protection.

- ▲ Strong, lightweight polycarbonate lens blocks 99.9% of ultraviolet rays
- ▲ Hybrid temples with full non-slip grip reduces pressure on mastoid bone (area behind ear)

**MCR BKH15 BearKat® Magnifier Safety Glasses****IBT #89829000535***Black frame/Clear lens +1.5 diopter - see other options below*

The BearKat's construction combines the best in safety, comfort and affordability. Vision is unobstructed by the one-piece wraparound lens, which by its tight fit allows you maximum safety and almost 0% of vision outside lens view. Comfort is enhanced by the flexible temples and the non-slip rubber head grips are notched for a clip-on breakaway cord. Rubber tipped temples.

- ▲ Filters 99% of U.V. radiation
- ▲ Available options: 1.0 - 2.5 diopter

**MCR 2220 Economy Safety Goggles****IBT #28200800**

These goggles provide a wide, unobstructed field of vision and can be worn with most half-mask respirators. The transparent protective PVC body permits a comfortable fit over prescription eyewear while protecting against impact and splash.

- ▲ Polycarbonate lens
- ▲ Duramass® lens coating (scratch-resistant)
- ▲ .060mm lens thickness
- ▲ Rubber strap (protective goggles are latex-free)
- ▲ Perforated for maximum ventilation
- ▲ Provides 99.9% UV protection

**MCR 2235R Chemical Splash Goggles****IBT #28202540**

These goggles provide a wide, unobstructed field of vision and can be worn with most half-mask respirators. The transparent protective PVC body permits a comfortable fit over prescription eyewear while protecting against impact and splash.

- ▲ Polycarbonate lens
- ▲ Duramass® AF4 lens coating (anti-fog)
- ▲ .060mm lens thickness
- ▲ Rubber strap (protective goggles are latex-free)
- ▲ Indirect ventilation for chemical splash
- ▲ Provides 99.9% UV protection

**MCR 2237R Chemical Splash, Non-vented Goggles****IBT #54801390**

These goggles provide a wide, unobstructed field of vision and can be worn with most half-mask respirators. The transparent protective PVC body permits a comfortable fit over prescription eyewear while protecting against impact and splash.

- ▲ Polycarbonate lens
- ▲ Duramass® AF4 lens coating (anti-fog)
- ▲ .060mm lens thickness
- ▲ Rubber strap (protective goggles are latex-free)
- ▲ Ventless
- ▲ Replacement lenses available
- ▲ Provides 99.9% UV protection



Fibre-Metal F-400 Faceshield
IBT #37400670

Deep crown protector and wider windows extend face protection. Deeper 4" crown protector extends protection without increasing weight. Incorporates wide-vision (17" x 8") wraparound windows and screens, which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators. SEI certified to comply with current ANSI standards.



Fibre-Metal 4178 Wide Vision Faceshield Window
IBT # 37400700
Clear

Fibre-Metal faceshield windows are injection molded from propionate, which is superior to other window materials in every significant performance characteristic. They are preformed at the factory to the exact curve of Fibre-Metal crown protectors for easy installation, an exact fit and a perfect seal against dust, dirt and debris. All high performance windows are .060" thick for an extra margin of protection, yet they cost no more than ordinary .040" thick windows. High performance windows provide a degree of protection and a price point for every application and budget.

▲ Fits F400, F500, FH66, FM70 & F71 series



MCR LCS2 Lens Cleaning Station
IBT #28200505

Each station contains four boxes of 300 tissues and one 8 ounce bottle of anti-fog, anti-static cleaning spray.



Uvex S463 Clear® Lens Cleaning Solution
IBT #90202790

Uvex Clear lens cleaning products are specifically formulated for anti-fog and scratch-resistant hardcoats and do not contain silicone. 16 oz. spray bottle.



Allegro 0358-01 Lens Cleaning Tissues
IBT #31302775

Tissues are non-abrasive, low-lint and are interfolded to pop-up. Box of 300, 4" x 5" tissues.



MCR LCT Lens Cleaning Towelettes
IBT #28200500

Individually packaged anti-fog, anti-static lens cleaning towelettes. 100 per box.



Aero 312-1250 E-A-Rsoft™ Yellow Neons™
IBT #12100505

- ▲ The world's softest earplugs
- ▲ Self-adjusting foam provides low pressure with excellent attenuation
- ▲ Dermatologically safe foam is non-irritating to the skin
- ▲ NRR 33 dB - highest NRR available



Howard Leight SMF-30 SmartFit® Earplug
IBT #43920350

SmartFit's user-friendly design is the only multiple-use earplug with Conforming Material Technology™. SmartFit uses body heat to adapt to the shape of the ear canal for a comfortable, personalized fit. With a detachable cord system, HearPack® carry case and special application styles available, it's the ultra-smart choice for today's diverse workplace.

- ▲ Simplifies inventory control – a single product fits almost every wearer
- ▲ NRR 25 dB



Chums RCH 12115-100 Adjustable Cotton Eyewear Retainer
IBT #31301084
Black

The all-cotton, easily adjustable Chums Original is the product that put eyeglass lanyards on the map. Millions agree — it is ideal for all forms of action; be it on water, land, snow or in the air. The original cotton retainer has it all: quality, comfort and the ability to fit most standard frames.

- ▲ 100% comfortable cotton
- ▲ Bead adjusts for superb fit



Howard Leight LL-30 Laser Lite® Earplug
IBT #43904810

The bright idea in hearing protection, Laser Lite's corded, low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. Its high-visibility magenta and yellow colors make compliance checks quick and easy.

- ▲ Self-adjusting polyurethane foam expands to fit virtually every wearer
- ▲ Contoured T-shape for easy insertion & wear
- ▲ Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- ▲ NRR 32 dB



Moldex 6506 Jazz Band® Hearing Protector
IBT #55100510

The new Jazz Band has been redesigned with increased protection and comfort in mind. The NRR was increased by designing the soft tapered foam pods to correspond to the shape of the ear canal. Jazz Band also features a more comfortable fit, achieved by decreasing the band pressure. The end result is greater user fit and comfort, which can increase compliance. Workers will want to wear it all day long.

- ▲ 100% PVC-free
- ▲ New band design, pressure reduced by 50%
- ▲ Extra soft tapered foam pods gently conform to the ear canal
- ▲ Hangs easily down around the user's neck with optional breakaway neck cord
- ▲ Includes an extra pair of pods
- ▲ The bright green color is a trademark of Moldex-Metric, Inc. & provides for easy compliance checks
- ▲ New, higher NRR 25 dB rating



Howard Leight QM24+® Earmuffs
IBT # 43905190
Red

The dielectric QM24+ is an ultra-lightweight, three-position earmuff designed for extended wear at a valued price. Weighing only 6 oz., the QM24+ features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin. Soft foam cushions are easy to clean with soap and water and can be replaced for extended use.

- ▲ Multiple-position headband allows wearer to select position: over-the-head, behind-the-head or under-the-chin
- ▲ Alternative to cap-mounted earmuffs: wear with hard hats, face shields, respirators & other PPE
- ▲ NRR 25 dB



Bilsom Thunder® T3 and T3H Earmuffs
IBT #43905200
T3 Earmuff

Thunder series earmuffs are designed with all-day comfort in mind. Thunder headband earmuffs feature a unique dual headband for better positioning and breathability and a non-deforming outer headband that minimizes pressure on the head. Plus, its dielectric construction withstands use and abuse while protecting workers in electrical environments.

Air Flow Control™ Technology

Bilsom Technology's patented Air Flow Control delivers optimal attenuation across all frequencies, without increasing earcup size or weight. A patented baseplate chamber and high-tech non-woven layer manages the flow of air inside the earmuff to control how sound reaches the ear. The result is better, more consistent overall attenuation for virtually all industrial noise environments.

- ▲ Dielectric construction suitable for all workplaces, especially electrical environments
- ▲ Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- ▲ Non-deforming outer headband withstands rough treatment in the toughest workplaces
- ▲ Quick-click height adjustment remains fixed during wear
- ▲ Snap-in ear cushions make replacement quick & easy
- ▲ NRR 30dB (T3 Earmuff), NRR 27dB (T3H Cap-Mount Earmuff)



IBT #31305110
T3H Cap-Mount Earmuff



Peltor Optime 95 Earmuff

IBT #90300560

H6P3E/V Helmet Attachable

The lightweight OPTIME 95 muff features very low profile ear cups that fit well with most helmets, eyewear and other safety equipment. It is a comfortable choice that provides effective protection, especially against the high-frequency noise associated with many work areas and functions including machine shops and power tools.

- ▲ For loud noise levels up to 95 dBA
- ▲ ANSI 53.19-1974
- ▲ NRR 21 dB

IBT #90301700

H6B/V Behind-the-Head



MCR 3211L Grain Cow Drivers Gloves

IBT #54806150

Large, Cream - see other options below

All cow leather drivers glove. Gunn pattern, keystone thumb and shirred elastic back with brown hem.

- ▲ Full leather gloves
- ▲ Premium grain leathers
- ▲ Slip-on cuffs
- ▲ Unlined
- ▲ Available options: XS-3XL

Ergodyne 710 ProFlex® Precision Purpose Gloves

IBT #34414820

Large - see other options below

ProFlex gloves offer exceptional protection and form-fitting flexibility like no other line on earth.

- ▲ Soft & durable Amara™ synthetic leather palm & fingers, Amara reinforced thumb/index finger saddle
- ▲ PVC palm for secure grip & longer wear
- ▲ Akton™ polymer gel absorbs impact
- ▲ Abrasion resistant & machine washable
- ▲ Available options: S-2XL



Liberty 0236L Premium Grain Thinsulate™ Winter Gloves

IBT #50809650

Large, Cream with Blue/Yellow stripe fabric back - see other options below

- ▲ Premium grain pigskin leather with 3" safety cuff
- ▲ Leather knuckle strap
- ▲ 100 gram 3M Thinsulate lining
- ▲ Available options: L, XL

MCR 1300XL Select Shoulder Leather Palm Glove

IBT #54805814

XLarge, Gray with Blue/Red stripe fabric back - see other options below

- ▲ Leather cowhide gloves with rubberized safety cuff
- ▲ Leather knuckle strap
- ▲ Available options: S-XL



North NF11/9L NorthFlex™ Foamed PVC Palm Coated Glove
IBT #62800489

Large - see other options below

NorthFlex Foamed PVC Palm Coated Gloves are well-suited to applications where workers handle both wet and dry objects and need moderate protection from mechanical hazards. The palm coated glove features an advanced seamless nylon shell and a foamed PVC palm coating. Foamed PVC provides a soft and flexible coating that is also highly comfortable. Abrasion resistance is comparable to polyurethane, but the coating is thicker and softer, providing greater inherent shock and vibration absorption.

- ▲ Nylon shell: 15 gage seamless shell is stretchy & form fitting for wearer comfort
- ▲ Foamed PVC coating provides exceptional grip, particularly in wet conditions
- ▲ Multiple sizes available provide a safe & comfortable fit on a wide range of users
- ▲ Available options: XS-XXL



MCR 9500LM Standard String Knit Gloves
IBT #54805290

Large - see other options below

String knit gloves are used for general purpose work applications and can provide cut and abrasion resistance, using high performance yarns, to further protect the hands when working with sharp objects.

- ▲ Cotton/polyester blend
- ▲ Regular weight
- ▲ Components comply with FDA food contact regulations
- ▲ Color coded hem to identify sizes
- ▲ Available options: XS-XL



MCR 9672L Memphis™ Dyneema® PU Gloves
IBT #54801073

Large - see other options below

MCR's most economical Dyneema hand protection offering. This 10 gauge blend of Dyneema/Nylon/Spandex in a seamless shell provides abrasion, tear and cut protection. The polyurethane palm and finger coating enhances grip and wear. Memphis Dyneema earned a top CE score of 4 in abrasion and tear resistance, with a total score of 4341 (abrasion, cut, tear, & puncture).

- ▲ Breathable shell for maximum comfort encourages workers to wear their gloves longer thereby reducing injuries
- ▲ Color-coded hem sizing for easy identification
- ▲ Breathable & lint-free
- ▲ Dyneema fiber: Cut resistant; Abrasion resistant; Tensile strength is 15 times stronger than steel; Cool & comfortable to wear; Launderable with no loss in cut resistance
- ▲ Available options: S-XL



MCR 5319E Unsupported Nitrile Gloves
IBT #54801275

Large, Green - see other options below

Seamless synthetic rubber gloves. Green nitrile, 100% cotton and flock-lined.

- ▲ 13" length, 15 mil thickness
- ▲ Heavy duty non-slip grip
- ▲ Straight cuffs
- ▲ Components comply with FDA food contact regulations
- ▲ Available options: XS-XXL



MCR 6001L Durashield® Disposable Gloves
IBT #54808045

Large - see other options below

- ▲ Powder-free nitrile, 4 mil thickness, beaded cuff, ambidextrous
- ▲ Industrial/Food Service Grade
- ▲ Components comply with FDA food contact regulations
- ▲ Textured finish for better grip, puncture/abrasion resistant
- ▲ Resistance to a wide variety of chemicals
- ▲ Available options: S-XL



MCR 6020L NitrShield™ Disposable Gloves
IBT #54807710

Large - see other options below

- ▲ Powdered nitrile, 4 mil thickness, beaded cuff, ambidextrous
- ▲ Latex-free
- ▲ Industrial/Food Service Grade
- ▲ Textured finish for better grip
- ▲ Resistance to a wide variety of chemicals
- ▲ Available options: S-XL



MCR 5055L SensaGuard™ Disposable Gloves
IBT #54813500

Large - see other options below

- ▲ Powder-free latex, 5 mil thickness, rolled cuff, ambidextrous
- ▲ Industrial/Food Service Grade
- ▲ Components comply with FDA food contact regulations
- ▲ Non-sterile
- ▲ Available options: S-XL



MCR 5060L SensaGuard™ Disposable Gloves
IBT #54807600

Large - see other options below

- ▲ Powdered latex, 5 mil thickness, rolled cuff, ambidextrous
- ▲ Industrial/Food Service Grade
- ▲ Components comply with FDA food contact regulations
- ▲ Non-sterile
- ▲ Available options: S-XL



MCR 5015L SensaGuard™ Disposable Gloves
IBT #54807550

Large - see other options below

- ▲ Powder-free vinyl, 5 mil thickness, rolled cuff, ambidextrous
- ▲ Industrial/Food Service Grade
- ▲ Components comply with FDA food contact regulations
- ▲ Available options: S-XL



MCR 5020L SensaGuard™ Disposable Gloves
IBT #54802010

Large - see other options below

- ▲ Powdered vinyl, 5 mil thickness, rolled cuff, ambidextrous
- ▲ Industrial/Food Service Grade
- ▲ Components comply with FDA food contact regulations
- ▲ Available options: S-XL

PPE: Hand Protection, Protective Clothing



MCR Style 100 1 Slot Display Case (gloves not included)
IBT #54801095

- ▲ Wall mount, 1 slot acrylic disposable glove dispenser
- ▲ 5.50" x 6.81" x 3.81



MCR Style 300 3 Slot Display Case (gloves not included)
IBT #54801098

- ▲ Wall mount, 3 slot acrylic disposable glove dispenser
- ▲ 16.38" x 9.75" x 3.50



MCR UCDBO Utility Clip
IBT #54800995
Orange

Great for applications in the utility industry, industrial workplace, food industry and various recreational activities. Clip will break-away if caught in machinery. Attach at multiple locations for comfort or convenience.

- ▲ Fully dielectric
- ▲ Attach at belt loop or waistline with belt clip
- ▲ Superior design & construction materials



Lakeland TG412XL MicroMAX® Coverall
IBT #50409260
XLarge - see other options below

This line of general purpose protective clothing can be used in any non-hazardous environment where dirt, grime, splashes and spills are present. MicroMAX fabric is comprised of a microporous film with a nylon scrim between the film and substrate that gives the material additional strength. Tough can-do protection at a price that is sure to agree with your budget.

- ▲ MicroMAX coverall with zipper
- ▲ Available options: S-XL



Lakeland 1412XXL Tyvek® Coverall
IBT #50408880
2XLarge - see other options below

Tyvek Protective Wear™ meets or exceeds ANSI 101-1996 sizing requirements and are required to pass dynamic fit tests to minimize rips and tears. All Tyvek Protective Wear garments are clearly marked with a blue label to distinguish them from others which may have not been manufactured from Tyvek or under the entire quality system. It's your assurance of quality manufacturing that strengthens your safety combination.

- ▲ New Tyvek coverall with collar, zipper, set-in sleeve
- ▲ Garment meets ANSI/ISEA 101-1996 specifications
- ▲ Available options: S-2XL



Onguard 76515-XL Sitex 3-Piece Rain Suit
IBT #65916995

XLarge, Yellow - see other options below

Versatile industrial grade protection for all-purpose use.

- ▲ High quality PVC on polyester
- ▲ Heavy-duty adjustable suspenders
- ▲ Adjustable waist snaps for the perfect fit
- ▲ Ankle & cuff take-up snaps for a snug, tapered fit
- ▲ Jacket with storm flap front
- ▲ Two front snap pockets on jacket
- ▲ Cape back jacket with vents
- ▲ Underarm vents keep you cool
- ▲ Available options: S-4XL



MCR 3882-XL Dominator Acid Suit
IBT #54801830

XLarge, Green - see other options below

Complete 2 piece suit: jacket with an attached hood, inner sleeve and bib pants.

- ▲ Tough nylon scrim material double coated with two thick layers of PVC for a combined thickness of .42 mm.
- ▲ Flame-resistant to ASTM D6413
- ▲ Roomy construction
- ▲ Quick release suspenders
- ▲ Offers best protection against many chemicals & acids
- ▲ Green color for easy identification
- ▲ Available options: S-5XL



Neese 275AJ-XL Tuff Wear Jacket with Attached Hood
IBT #62619580

XLarge, Yellow - see other options below

This garment offers a strong nylon with a polyurethane coating that gives higher abrasion and snag resistance than any material in its weight class. It is made with polyurethane on the outside with nylon on the inside. The Tuff Wear 275 Series garment features strong double-stitched and tape sealed seams for maximum protection.

- ▲ Jacket is minimum 30" long (adjustments for various sizes)
- ▲ Snap front
- ▲ Storm flap
- ▲ Attached hood with drawstring closure
- ▲ Raglan shoulder design to allow for easy movement
- ▲ Available options: XS-6XL



Neese 275BT-XL Tuff Wear Bib Pant
IBT #62619640

XLarge, Yellow - see other options below

This garment offers a strong nylon with a polyurethane coating that gives higher abrasion and snag resistance than any material in its weight class. It is made with polyurethane on the outside with nylon on the inside. The Tuff Wear 275 Series garment features strong double-stitched and tape sealed seams for maximum protection.

- ▲ Bib front coverage, no fly
- ▲ Elastic suspenders
- ▲ Non-conductive snap closures that fasten suspenders onto garment
- ▲ Available options: XS-6XL



Keystone Cap 109HSI Hairnet

IBT #31319310

White, 21" - see other options below

Stockinet hairnet, extra soft, fine mesh nylon.

- ▲ Flame-resistant
- ▲ Available options: 18", 21", 24", 26", 28", 30" in White, Blue, Yellow, Red, Green



Keystone Cap 110NWI-10-21 Polypropylene Bouffant Cap

IBT #00494000520

White, 21" - see other options below

Bouffant cap.

- ▲ Available options: 19", 21", 24", 28" in White, Blue, Yellow, Red, Orange, Green, Navy, Custom



Keystone Cap 112NWI Polypropylene Beard Covers

IBT #00494000600

Large, White - see other options below

Non-woven polypropylene beard guard.

- ▲ Available options: L, XL in White or Blue



Lakeland 901-L Tyvek® Shoe Cover

IBT #50420415

Large/XLarge, White - see other options below

Tyvek Protective Wear™ meets or exceeds ANSI 101-1996 sizing requirements and are required to pass dynamic fit tests to minimize rips and tears. All Tyvek Protective Wear garments are clearly marked with a blue label to distinguish them from others which may have not been manufactured from Tyvek or under the entire quality system. It's your assurance of quality manufacturing that strengthens your safety combination.

- ▲ Available options: S/M, L/XL



Lakeland 901NS-L Tyvek® Non-Skid Shoe Cover

IBT #50420420

Large/XLarge, Gray - see other options below

Tyvek Protective Wear™ meets or exceeds ANSI 101-1996 sizing requirements and are required to pass dynamic fit tests to minimize rips and tears. All Tyvek Protective Wear garments are clearly marked with a blue label to distinguish them from others which may have not been manufactured from Tyvek or under the entire quality system. It's your assurance of quality manufacturing that strengthens your safety combination.

- ▲ Available options: S/M, L/XL



Keystone Cap SC-NWI-NS-XL Non-Skid Polypropylene Shoe Cover

IBT #31301195

XLarge, Blue/White non-skid bottom - see other options below

- ▲ Available options: L (16.5" x 6.5"), XL (18.5" x 9") in Blue/White non-skid bottom, White/Blue non-skid bottom; White/White non-skid bottom



Servus 75109-10 XTP Steel Toe Chemical Boot
IBT #62120010

Men's 10, 15" height - see other options below

- ▲ Black/yellow/gray sole formulated for long wear & slip resistance
- ▲ 100% waterproof
- ▲ Steel toe meets ASTM F2413-05
- ▲ Available options: Men's 3-15



Tingley 35111-L Workbrute Slip-On Black PVC Chemical Overshoes
IBT #31320705

Men's Large, Black - see other options below

- ▲ Ankle high coverage
- ▲ 100% waterproof
- ▲ Available options: Men's XS-2XL in Black or Yellow



North 7130N95 Disposable Particulate Respirator
IBT #62802400

- ▲ NIOSH approved respiratory protection for particulate matter



North 7140N95 Respirator w/Exhalation Valve
IBT #62803700

- ▲ NIOSH approved respiratory protection for particulate matter
- ▲ Built-in exhalation valve for cooler & easier breathing



3M 6200/07025 Economy Half Mask Reusable Respirator
IBT #90303400

Medium - see other options below

- ▲ NIOSH approved respiratory protection
- ▲ Soft thermoplastic elastomer facepiece
- ▲ Available sizes: S, M, L



North 770030M Premium Half Mask Reusable Respirator
(cartridges not included)
IBT #62800710

Medium - see other options below

- ▲ NIOSH approved respiratory protection
- ▲ Soft silicone seal provides excellent protection, comfort & fit
- ▲ Contoured flange & cradle suspension system eliminates pressure points on facial nerves
- ▲ Compatible with all North cartridges, filters & accessories
- ▲ Available sizes: S, M, L



3M 6800 Economy Full Mask Reusable Respirator
(cartridges not included)

IBT #90300700

Medium - see other options below

- ▲ NIOSH approved respiratory protection
- ▲ Silicone face seal enhances comfort & improves durability
- ▲ Curved window allows wide field of vision
- ▲ Available options: S, M, L



North 760008A Premium Full Mask Reusable Respirator
(cartridges not included)

IBT #62800740

Medium/Large

- ▲ NIOSH approved respiratory protection
- ▲ Soft silicone seal provides excellent protection, comfort & fit
- ▲ Five-strap harness provides effective & comfortable face seal
- ▲ Polycarbonate lens provides 200° field of vision & scratch-resistance to meet ANSI standards for impact & penetration resistance



3M 2091 P100 Particulate Filters for Half or Full Mask Respirators

IBT #90303230

- ▲ NIOSH approved respiratory protection for particulate matter



North 75FFP100 P100 Particulate Filters for Half or Full Mask Respirators

IBT #62800875

- ▲ NIOSH approved respiratory protection for particulate matter
- ▲ 99.97% minimum filter efficiency



3M 60926 Multi-Contaminant/P100 Cartridges for Half or Full Mask Respirators

IBT #90303380

- ▲ NIOSH approved respiratory protection from organic vapors, acid gases & particulate



North 75SCP100 Multi-Contaminant/P100 Defender Cartridges for Half or Full Mask Respirators

IBT #62800790

- ▲ NIOSH approved respiratory protection from organic vapors, acid gases & particulate



Miller® P950-4/UGN Duraflex Python Full Body Harness
IBT #51615560

Large/XLarge - see other options below

- ▲ 400 lb maximum capacity
- ▲ Meets all applicable OSHA, ANSI Z359-2007 & CSA standards
- ▲ Sliding back D-ring
- ▲ Tongue buckle leg straps & mating buckle chest strap
- ▲ Available options: S/M, L/XL, XXL

Miller® P950QC/UGN Duraflex Python Ultra Full Body Harness with Quick Connect Hardware
IBT #90201005

Large/XLarge - see other options below

- ▲ 400 lb maximum capacity
- ▲ Quick connect buckle chest & leg straps
- ▲ Meets all applicable OSHA, ANSI Z359-2007 & CSA standards
- ▲ Available options: S/M, L/XL, XXL



DBI/SALA 1102000 Delta™ II Harness
IBT #31310060

Universal Size - see other options below

- ▲ 420 lb worker capacity
- ▲ Delta No-Tangle® design holds harness shape for easy donning
- ▲ Non-slip pass-thru buckle chest strap
- ▲ Meets or exceeds all applicable OSHA, ANSI & ANSI Z359
- ▲ Available options: XL, 2XL, Universal Size

Miller® 216TWLS/6FTGN Manyard® HP Lanyard 6' Shock Absorber
IBT #51615578

Green, 6' length - see other options below

- ▲ 400 lb maximum capacity
- ▲ Two locking snap hooks
- ▲ Meets all applicable OSHA, ANSI & CSA standards
- ▲ Available options: various harness & anchorage connectors



Miller® MFL-9-Z7 Turbolite® Personal Fall Limiter
IBT #90202330

6' length - see other options below

- ▲ 400 lb maximum capacity
- ▲ Extremely compact & lightweight (1.9 lbs) alternative to shock-absorbing lanyards
- ▲ Locking snap hook & lanyard end connectors
- ▲ Meets all applicable OSHA, ANSI & CSA standards
- ▲ Available options: various unit & lanyard end connectors

Miller® CFL-4/9FT Black Rhino® Self Retracting Lifeline
IBT #51600520

9' length - see other options below

- ▲ Quick-activating braking system arrests free falls
- ▲ Stainless steel rope to endure harsh environments
- ▲ Stainless steel swivel & steel twist-lock carabiner
- ▲ Locking, swivel snap hook with load indicator
- ▲ Meets all applicable OSHA, ANSI A10.32 & CSA standards
- ▲ Available options: various unit & lanyard end connectors



Protecta AD111A Rebel® Self Retracting Lifeline

IBT #31326556

11' length - see other options below

- ▲ The industry's lightest & most compact 11 foot SRL
- ▲ Locking snap hook on lifeline & carabiner on housing
- ▲ Meets or exceeds all applicable OSHA, ANSI & ANSI Z359
- ▲ Available options: various unit & lanyard end connectors



Miller® 8183 Cross Arm Strap Anchor Point

IBT #31320000

Green, 3' length

IBT #51618050

Green, 6' length

- ▲ 400 lb maximum capacity
- ▲ D-rings at each end



Ergodyne® 70026 Proflex Wrist Support

IBT #34411120

Large, Black, Right hand - see other options below

- ▲ Model 4010
- ▲ Patented Open-Center Stay™ reduces pressure on the median nerve
- ▲ Fully-adjustable double strap for exact fit & comfortable wear
- ▲ Available options: S-XL, Right or Left hand, Black or Tan



Ergodyne® 16004 Tennis Elbow Support

IBT #34410950

Large, Black - see other options below

- ▲ Model 500
- ▲ Designed to direct pressure away from tendons of the forearm muscles
- ▲ Nylon-laminated neoprene sleeve conforms to the forearm for proper fit
- ▲ Available options: XS-XL



Allegro 7103 FlexKnee Knee Pads

IBT #31318510

Blue, Sold per pair

Grueling deep knee work requires tough protection. Allegro's FlexKnee pad is constructed with lightweight padding and is capped by abrasion-resistant rubber caps designed for long lasting wear. The large wraparound rubber cap design allows maximum flexibility while maintaining a secure fit. Excellent for non-slip, hard surface work environments.

- ▲ 1-1/2" Nylon reinforced elastic dual straps
- ▲ Velcro closure



Ergodyne® 11384 Proflex Back Support with Suspenders

IBT #34411160

Large, Black - see other options below

- ▲ Model 100
- ▲ Durable 280D spandex body cloth provides breathable comfort
- ▲ Adjustable 1-1/4" knit elastic suspenders improve comfort & fit
- ▲ Available options: XS-4XL



Swift 34140LF 2-Shelf First Aid Cabinet
IBT #90253009500

- ▲ Small – 140 Standard
- ▲ 15-1/2" x 10-1/2" x 4-3/4"



Swift 34180LF 3-Shelf First Aid Cabinet
IBT #90253009680

- ▲ Medium – 180 Standard
- ▲ 15" x 17" x 5-1/2"



Swift 34400LF 4-Shelf First Aid Cabinet
IBT #90253009930

- ▲ Large
- ▲ 15" x 22" x 5-1/2"



Swift 35P10BFK Blood Borne Pathogen Kit
IBT #90253012190

- Body Fluid Clean Up Kit. 10 units in a plastic box.
- ▲ 2 – Disposable gloves, 2 pair
 - ▲ 2 – Red biohazard waste bags
 - ▲ 1 – Face mask with eye shield
 - ▲ 1 – Red-Z Fluid Control, 3/4 oz. pouch
 - ▲ 4 – Disposable towel & wipes, 2 each
 - ▲ 1 – Impervious gown
 - ▲ 1 – Pick-up scoop with scraper
 - ▲ 1 – Surface cleaning wipe
 - ▲ 1 – Shoe covers & cap, 1 each



Swift 20P1600 Water-Jel® Burn Kit
IBT #90253008340

- ▲ 16-piece, medium kit
- ▲ Wall mountable or stowable
- ▲ Water-Jel dressings of multiple quantities & sizes
- ▲ Gauze, gloves, scissors & miscellaneous supplies
- ▲ Replacement components available



Certified Safety 216-068 #805X CPRotector® Mask
IBT #24102610

- ▲ 5.5" square single-use, disposable mask
- ▲ 510(K) Registration meets the new FDA Standard
- ▲ Meets all requirements of ASTM F920-93 (American Society for Testing & Materials)
- ▲ Cross-section on bottom of stem prevents tongue blockage
- ▲ Stem length complies with new FDA standard & serves as a bite stick if needed
- ▲ Patented "free floating" valve allows better air-flow to victim
- ▲ Helps protect the rescuer from unsafe mouth-to-mouth contact
- ▲ Large, soft, clear, high-density polypropylene faceshield remains soft & flexible
- ▲ All parts are ultrasonic welded
- ▲ Compatible with most CPR training mannequins



Zoll AED Plus® Automated External Defibrillator
IBT #31325500

- Zoll's AED Plus is an automated external defibrillator (AED) that helps the rescuer provide high-quality CPR. AED Plus features Real CPR Help®, a tool that is able to actually see what you are doing and provide feedback to help you do it well. Audio and visual prompts help you rescue with confidence and clarity unmatched by any other automated external defibrillator.
- ▲ Interactive feedback from Real CPR Help for rate & depth of compressions
 - ▲ Support for the complete Chain of Survival
 - ▲ Help to all victims of sudden cardiac arrest, even those for which no shock is advised
 - ▲ One-piece pad for fast & accurate placement
 - ▲ Utilizes consumer lithium batteries; easy to replace & last 5 years in stand-by mode (available from retail stores)



Honeywell 2302B20009UE Impact Pro Multi-Gas Monitor/ System with pump
IBT #51700060

- ▲ For use in confined spaces, Safelink Entrant/Attendant function ensures safe working practices
- ▲ 2-, 3- or 4-gas configurations
- ▲ Waterproof, impact-resistant housing
- ▲ Ni-MH rechargeable battery with 10 hour operating life
- ▲ UL Class 1, Div. 1, Groups A, B, C, D approved



Honeywell Minimax XD-A-N Personal Single Gas Ammonia Monitor
IBT #51700080

- ▲ Detects 0-100PPM Ammonia
- ▲ Continuous reading of gas levels
- ▲ Rugged, impact- & weather-resistant housing
- ▲ Typical 2 year sensor life & 3 year battery life minimizes operating costs



GOJO® 5262 Luxury Foam Antibacterial Handwash
IBT #91338000710

Smooth, orange foaming handwash with germ-killing power in an orange blossom fragrance.

▲ 2000 mL



GOJO® 5250 FMX-20™ Dispenser
IBT #91338000701

Holds a large, sealed 2000 mL refill in a remarkably small footprint. Great for high-traffic areas. Delivers more than 2,800 handwashes. Features skylight with an extra-large site window. ADA compliant, one hand push operation. Available in black or gray. Optional key lock included. Available in GOJO® and PROVON® brands.



GOJO® 7265 MULTI GREEN® Hand Cleaner
IBT #91338000806

A popular multi-purpose hand cleaner for removing light to medium industrial soils and dirt. Contains a natural citrus solvent cleaner with non-abrading scrubbing particles.

▲ 2000 mL



GOJO® 7282 SUPRO MAX™ Cherry Hand Cleaner
IBT #91338000818

Fast and effective hand cleaner removes most inks, tough, sticky soils and adhesives, while leaving skin conditioned and healthy feeling. Unique blend of cleaners, skin conditioners and gentle scrubbers. Ideal for plant-wide use. Non-drying formula. Pleasant cherry fragrance.

▲ 2000 mL



GOJO® 7200 PRO 2000™ Dispenser for Multi-Purpose & Heavy Duty Hand Cleaners
IBT #91338000785

2000 mL capacity. Large display window shows the refill inside. ADA compliant, one-hand push operation. Sanitary-sealed refills are easy to load, store and handle. Portion control helps reduce waste. Fresh dispensing valve with each refill. Constructed of high-impact ABS plastic. Guaranteed for life. Available in GOJO® and PROVON® brands.



GOJO® 8242 HAND MEDIC® Professional Skin Conditioner
IBT #91338000878

Specifically formulated for professional technicians for use in their work environments. Quickly absorbs, with no greasy after-feel. Use before work, after handwashing and at night to help maintain the skin's natural protective barrier. Silicone and fragrance-free.

▲ 2000 mL



GOJO® 8200 HAND MEDIC® Dispenser
IBT #91338000872

800 mL bag-in-box system. Uses sanitary-sealed, 800 mL bag-in-box refills. Portion controlled. ADA compliant for push force. Available in GOJO®, PURELL®, PROVON® and MICRELL® brands.



PURELL® 2156 Instant Hand Sanitizer NXT® Refill
IBT #91338001032

America's #1 instant hand sanitizer. Kills 99.99% of most common germs that may cause illness. Works in as little as 15 seconds. No water or towels needed. Specially formulated moisturizers leave hands feeling soft and refreshed. Alcohol-based.

▲ NXT® 1000 mL Refill



PURELL® 2120 NXT® SPACE SAVER™ Dispenser
IBT #91338001025

Much smaller footprint than traditional 800 mL dispensers, yet holds 1000 mL of product. Uses PURELL® 1000 mL NXT™ refills. Compact design integrates into most every décor. Fully ADA depth and push compliant. Ideal for applications with limited wall space or where décor or usage levels demand smaller dispensers. Dove Gray.



Brawny Industrial™ 21500 Wet Shop Towels
IBT #91318001533

Brawny Industrial™ wet shop towels with cloth-like softness allow you to easily wipe and clean greasy and grimy hands on the spot. Soft, durable and strong with no gritty residue and clean, fresh scent make these a perfect clean-up solution. Portable pail with one-at-a-time dispensing and added wiper protection helps reduce waste and control costs.

- ▲ Works on grease & grime
- ▲ 72 towels in a portable, water-resistant pail
- ▲ 8.7" width x 12.2" length



SPC/Brady BM30 BattleMat™ Heavy Sorbent Roll
IBT #31317745

BattleMat is as tough as it looks, featuring an industrial camouflage and a heavy duty approach to cleaning up spills. These 2-ply gray rolls are double-perfed and tough enough to take whatever you dish out. Ideal as walk-on mats or single use absorbents in manufacturing plants and similar environments. 2-ply, gray, camouflage rolls.

- ▲ For walkways, overspray leaks & drips, workstations, drums - liquid storage, outfalls & discharge ponds
- ▲ Perfed every 15" & up the center
- ▲ 30" x 150'



SPC/Brady DPA24 Universal Sorbent Drip Pan
IBT #31317706

The ALLWIK® Drip Pan is durable and low-profile for use under leaky spigots and other problem areas. Single use unit.

- ▲ For overspray leaks & drips, workstations, drums - liquid storage
- ▲ 10" x 10"



SPC/Brady RF300 Re-Form™ Universal Sorbent Pads
IBT #31300102

Re-Form medium weight pads are made with Re-Form sorbent material and have a unique composition that gives users an environmentally friendly sorbent. Re-Form absorbs up to 50% more than traditional meltblown polypropylene sorbents.

- ▲ For basic drips & spills
- ▲ Netted construction for extra durability
- ▲ Indoor-use or dry-weather outdoor use
- ▲ General purpose sorbent: not for use with highly aggressive acids & caustics
- ▲ 15" x 19"



SPC/Brady SPC300 Oil Only Sorbent Pads
IBT #31317743

The hydrophobic nature of Oil Only Sorbent Pads makes them ideal for outdoor applications. Heavier bonded to enhance strength and reduce linting. MAXX means greater performance without the extra weight. 1-ply, dimpled, perfed, medium weight pads. For use with oil and petroleum based fluids.

- ▲ SPC™ MAXX ENHANCED medium weight pads
- ▲ For overspray leaks & drips, workstations, drums - liquid storage, outfalls & discharge ponds
- ▲ 15" x 19"



SPC/Brady RFP28DP Re-Form™ Universal Sorbent Roll
IBT #31300114

Double perforated Re-Form Plus heavy weight rolls are made with Re-Form Plus sorbent material and have the same absorbency performance as basic Re-Form material, but adds a spunbond coverstock, making it ideal for handling foot traffic and wiping applications.

- ▲ For drips, spills, & wiping applications
- ▲ Spunbond coverstock for additional durability
- ▲ Perforated: use only what you need
- ▲ Indoor-use or dry-weather outdoor use
- ▲ General purpose sorbent: not for use with highly aggressive acids & caustics
- ▲ 28.5" x 150'



SPC/Brady SPC150 Oil Only Sorbent Rolls
IBT #31320492

The hydrophobic nature of Oil Only Sorbent Rolls makes them ideal for outdoor applications. Heavier bonded to enhance strength and reduce linting. MAXX means greater performance without the extra weight. 1-ply, sprocket bonded, heavyweight roll. For use with oil and petroleum based fluids.

- ▲ SPC™ MAXX ENHANCED heavy weight roll
- ▲ For overspray leaks & drips, workstations, drums - liquid storage, outfalls & discharge ponds
- ▲ 38" x 144'



SPC/Brady MS-50 Re-Form™ Universal Sorbent SOCs
IBT #31311460

Re-Form Multiwik™ SOCs are dependable, flexible tubes that contain and absorb liquids, curve around corners and conform to uneven surfaces. They are universal economy SOCs that are wringable, incinerable, and not for use with aggressive acids & caustics.

- ▲ For overspray leaks & drips, drums - liquid storage, outfalls & discharge ponds
- ▲ 3" x 4'



SPC/Brady OIL412 Oil Only Sorbent SOCs
IBT #31317725

Oil Only SOCs are dependable, flexible tubes that contain and absorb liquids, curve around corners and conform to uneven surfaces. Specialized polypropylene SOC for use against oil and petroleum based spills. Will not absorb water or water-based solutions and is wringable and incinerable.

- ▲ For overspray leaks & drips, drums - liquid storage, outfalls & discharge ponds
- ▲ 3" x 4'



SPC/Brady DTA25 Universal Drum Top Sorbent Pads
IBT #31317712

Pre-cut to fit 55-gallon drums with either one or two bungholes. Keeps drums, the floor and surrounding storage areas clean. Gray, dimpled and absorbs all liquids.

- ▲ ALLWIK® drum top cover
- ▲ For overspray leaks & drips, drums - liquid storage, outfalls & discharge ponds
- ▲ 22" diameter



SPC/Brady DT025 Oil Only Drum Top Pads
IBT #17300700

White to indicate Oil Only, dimpled drum top covers are pre-cut to fit 55 gallon drums with one and two bungholes. Keeps drums, the floor and surrounding storage areas clean.

- ▲ Oil only drum top cover
- ▲ For overspray leaks & drips, workstations, drums - liquid storage, outfalls & discharge ponds
- ▲ 22" diameter



SPC/Brady ENV510 & ENV810 Oil Only Sorbent Boom

IBT #31317718

ENV510, 5" x 10'

IBT #31317716

ENV810, 8" x 10'

The Economical ENV™ boom features interconnectivity and a lint-free blue sleeve available in 5-inch and 8-inch diameters. For use with oil and petroleum based fluids.

- ▲ For outfalls & discharge ponds

Contact IBT for alternate options and other items.



Master Lock® 410RED Xenoy® Safety Padlock

IBT # 31330887

Red, Keyed different - see other options below

- ▲ Durable padlock weighs only 4 oz.
- ▲ Includes one key to ensure compliance with OSHA guideline of one employee, one padlock, one key
- ▲ 1-1/2" wide x 1-3/4" tall Xenoy® body
- ▲ 1-1/2" vertical shackle clearance, 1/4" diameter plated metal shackle
- ▲ Available options: Black, Blue, Red, Green, Orange, Purple, Teal Yellow, Keyed alike, Master keyed, Keyed alike/Master keyed

Master Lock® 3RED Safety Padlock

IBT # 31330891

Red, Keyed different, 3/4" Vertical shackle clearance, 9/32" Shackle diameter - see other options below

- ▲ 2 keys included
- ▲ 1-9/16" wide laminated steel body
- ▲ Available options: Black, Blue, Red, Green, White, Yellow, Keyed alike, Master keyed, Keyed alike/Master keyed



Master Lock® 421 Safety Lockout Hasp

IBT # 43181221

- ▲ 2-3/8" x 5" steel jaw with red vinyl coated handle
- ▲ 1-1/2" inside jaw diameter
- ▲ Accommodates up to 6 padlocks to protect multiple workers
- ▲ Available in additional materials & sizes

Master Lock® 497A "Danger: Do Not Operate" Lockout Tags

IBT # 31381090

English - see other options below

- ▲ 12/BG, includes ties
- ▲ 5-3/4" height x 3-1/8" width
- ▲ Heavy-duty tags comply with OSHA lockout/tagout procedure
- ▲ Polyester laminate resists water, grease & extreme temperatures
- ▲ 7/16" diameter brass grommet accepts all safety padlocks
- ▲ Available options: English/Spanish, English/French, English



Master Lock® 491B Grip Tight™ Circuit Breaker Lockout

IBT #31330925

- ▲ Accommodates tall & wide toggles
- ▲ Powder coated steel & reinforced polymer for operation in harsh conditions
- ▲ Narrow profile permits side-by-side breaker lockout

Master Lock® 493B Grip Tight™ Circuit Breaker Lockout


IBT #06229000520

- ▲ Accommodates standard single & double toggle breakers
- ▲ Powder coated steel & reinforced polymer for operation in harsh conditions
- ▲ Narrow profile permits side-by-side breaker lockout



Master Lock® 498A Portable Latch Tight™ Group Lock Box
IBT #31381100

- ▲ Red powder coated finish
- ▲ Accepts 12 padlocks or lockout hasps
- ▲ Latch Tight™ mechanism prevents keys from being accessed until last padlock or hasp is removed
- ▲ Lockout message on box is in English, Spanish & French
- ▲ 6" height x 9-1/4" length x 3-3/4" width



Master Lock® 1483BP410 Padlock Station
IBT #31330980

- ▲ 10-lock station made of durable yellow polycarbonate
- ▲ Includes 10 – 410RED Xenoy® padlocks, 2 – 420 hasps & 24 – 497A tags
- ▲ 22" height x 22" width x 1-3/4" depth
- ▲ Available options: 4-, 10- & 20-lock configurations, additional padlock models



Master Lock® 488 Compact Plug Prong Lockout
IBT #31381060

- ▲ Locks on the prongs of most 220V – 550V plugs
- ▲ 3" diameter x 6" body for up to 3/4" cord diameter
- ▲ For two prong plugs with & without ground
- ▲ Includes labels in English, Spanish & French



Master Lock® 487 Compact Plug Prong Lockout
IBT #06229000515

- ▲ Locks on the prongs of most 110/120V & many 220V plugs
- ▲ 2-1/4" diameter x 3-1/4" body for up to 3/4" cord diameter
- ▲ For two prong plugs with & without ground
- ▲ Includes labels in English, Spanish & French



Justrite 28201 Gator® Overpack Salvage Drum
IBT #89813002102

Ninety-five gallon overpack salvage drum is the safe and economical solution to the transportation and temporary storage of damaged or leaking drums of hazardous materials. Rugged, UV protected polyethylene withstands the rigors of land, air and sea transportation. "X" rating offers the highest UN and DOT certification available - can be used with all packing classes of hazardous materials I, II, and III including solvents, acids, poisons, and explosives.

100% polyethylene construction provides superior chemical resistance and durability for a variety of uses such as collection and transport, emergency response, contamination site clean-up and spill control kits. Twist-on threaded lid makes closure safe and easy with no separate, troublesome metal band needed. Relocation is simple via forklift from any one of three positions. Units nest when empty for compact storage.

- ▲ 95 gallon capacity
- ▲ 31" OD x 43.25" height
- ▲ D.O.T. & UN compliant
- ▲ 51 lb/23.1 Kg shipping weight



Justrite 28922 Gator® Spill Control Pallet
IBT #89813002402

Low profile Gator Accumulation Centers are the economical solution to spill concerns during drum filling and dispensing operations. They are ideal for chemical or battery storage needs. "Gator-Tuff" seamless construction in 100% polyethylene eliminates leaks and is nearly impervious to chemicals including acids and corrosives. Sturdy, self-locating grates eliminate the chance of ride-up and remove for easy cleaning.

- ▲ 2-drum unit
- ▲ 22 gallon sump capacity
- ▲ 2,400 lb load bearing capacity
- ▲ 49" width x 25" depth x 5.5" height
- ▲ 40 lb/18.1 Kg shipping weight
- ▲ Available options: 1-, 2-, 4-, 6- or 8-drum unit



Justrite AK28906 Ramp for Gator® Spill Pallet
IBT #89813002447

Companion ramp facilitates loading and unloading of heavy drums and features anti-skid ribs for maximum safety. It can be conveniently located anywhere, on any size center. Combine 2-, 4-, 6- or 8-drum modular units to create your own customized system.

- ▲ Ramp for Justrite Gator® Spill Control Pallet
- ▲ 1,000 lb load bearing capacity
- ▲ 48" width x 33" depth x 6.25" height
- ▲ 41 lb/18.6 Kg shipping weight



Justrite 896000 Sure-Grip® EX Safety Cabinet 60 Gallon
IBT #89813001484

Protect workers, reduce fire risks and improve productivity by storing hazardous liquids in high performance Sure-Grip® EX safety cabinets. Designed to meet OSHA and NFPA standards, cabinets are sturdily constructed of all-welded, 18-gauge (1 mm), double-walled steel with 1.5" (38 mm) of insulating air space for fire resistance. Fail-safe, 3-point self-latching system provides easy, positive door closure. Three durable stainless steel bullet latches offer optimum longevity with increased heat resistance.

- ▲ 65" height x 34" width x 34" depth
- ▲ Yellow powder coated 18-gauge double walled steel with 1-1/2" of insulating air space
- ▲ Double manually closed doors
- ▲ Two SpillSlope™ galvanized steel shelves which meet ANSI standards with a 350 lb load
- ▲ Tested & approved per FM Global, NFPA Code 30 & OSHA standards
- ▲ Backed by a 10 year warranty
- ▲ 366 lb shipping weight
- ▲ Available in additional sizes, colors & configurations



1 gallon

3 gallon

5 gallon

Justrite Type II Safety Cans for Flammables

IBT #89813002567
10327 - 1 gallon

IBT #89813002714
10728 - 3 gallon

IBT #89813002783
10828 - 5 gallon

Compliant Type II steel safety cans offer additional convenience with two openings at the top. One opening is equipped with a flexible metal hose for smooth, accurate pouring into small apertures. The hose also provides a bonding path to a receiving vessel. A second opening, positioned behind the handle, is used for filling. All Type II Cans have a swinging handle to ease carrying a full, heavy can. During pouring, Justrite's unique design uses the weight of the liquid to counterbalance the pressure required to open the spout. Both openings are equipped with dual-density flame arresters which reliably dissipate heat to prevent flashback ignition. Both openings self-close to prevent spillage and the rear opening automatically vents between 3 and 5 psig to guard against pressure build-up at elevated temperatures and potential explosion.

Heavy-duty, coated steel with reinforcing ribs and tough powder paint finish offers exceptional on-the-job durability. Justrite's quality is backed by an exclusive ten-year warranty. All cans meet OSHA and NFPA and are FM Approved and UL/ULC Listed.

IBT #	Item Model #	Capacity	Hose Dimensions OD x Length	Can Dimensions OD x Height	Approv./Lstg. Regulation	Shipping Weight
89813002567	10327	1 gallon	0.625" x 9"	9.375" x 6.5"	FM, UL	6 lb/2.7 Kg
89813002714	10728	3 gallon	0.625" x 9"	11.5" x 13.5"	FM, UL, ULC	8 lb/3.6 Kg
89813002783	10828	5 gallon	0.625" x 9"	11.5" x 17"	FM, UL, ULC	9 lb/4.1 Kg


Gator® Drum Management System
IBT #89813002426
 AK28902 Base module

IBT #89813002432
 AK28903 Stack module

IBT #89813002438
 AK28904 Dispensing shelf

The Gator Drum Management System meets safety and environmental protection requirements while organizing drum storage for maximum efficiency, productivity and cost savings. The design accommodates either 30- or 55-gallon drums of Class 1B or 1C flammables and combustibles. Space-saving design is also ideal for storage of non-hazardous liquids. Gator-Tuff, UV protected polyethylene construction provides maximum chemical compatibility and resistance - preventing corrosion and deterioration, assuring a long lifetime of service. Molded-in drum lock channels hold drums in place.

The base module is the key component of the system. It is designed to accommodate two drums with a load capacity of 3000 pounds in total. The dispensing well conveniently holds either five gallon safety cans or five gallon pails. Forklift channels facilitate relocation within the plant. The system's generous 66-gallon "open view" spill containment sump is located in the module. Spills, even drips of hazardous chemicals, are easy to spot and quickly cleaned up with this wide open design.

The stack module doubles system capacity holding two additional drums. Load capacity is 1500 pounds. When storing both 55- and 30-gallon drums the smaller drums should be placed on top in this stack module. Do not mix lower drum sizes when double stacking. The dispensing shelf has a load capacity of 60 pounds, mounts securely to the stack module for convenience in dispensing from the upper level.

IBT #	Item Model #	Load Bearing Capacity	Outside Dimensions W x D x H	Approv./Lstg. Regulation	Shipping Weight
89813002426	AK28902 Base module	3000 lb	49" x 59" x 26"	EPA, UFC	138 lb/62.6 Kg
89813002432	AK28903 Stack module	1500 lb	49" x 46" x 12"	-	70 lb/31.8 Kg
89813002438	AK28904 Dispensing shelf	60 lb	19.5" x 18.75" x 16.5"	-	12 lb/5.4 Kg